

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10		Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
<b>BASIN: Upper Gunnison River Basin</b>				PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description										
1.	All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Fossil Ridge, or Uncompahgre Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.02 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
2.	All tributaries and wetlands from North Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, North Willow Creek, and Soap Creek.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.02 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
3.	Deleted.									
4.	Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River except for those in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
5a.	Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
5b.	Mainstem of the East River from a point immediately above the Slate River to the confluence with the Gunnison River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
6a.	All tributaries to the East River from a point immediately above its confluence with the Slate River to its confluence with the Gunnison, excluding the listings in Segments 6b and 6c.		Aq Life Cold 2 Recreation U Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B(ch)=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> (ac)=100	As(ac)= 340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)= TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6b.	Cement Creek and all its tributaries and wetlands from the source to a point immediately above the confluence with Horse Basin Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
6c.	Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10		Desig	Classifications	NUMERIC STANDARDS					TEMPORARY MODIFICATIONS AND QUALIFIERS	
<b>BASIN: Upper Gunnison River Basin</b>				PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description										
7.	Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8.	Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
9.	All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=210(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
10a.	Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with Slate River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac)=TVS Pb(ch)= 6.6 Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10b.	All tributaries, including wetlands, to Redwell Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac)=TVS Pb(ch)=407 Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11.	Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately below the Crested Butte Water Supply intake which is above the confluence with the Mount Emmons/Red Lady Basin drainage; and Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) CrIII(ac)=50(Trec) CrIII(ch)=TVS Cd(ac)=TVS(tr) Cd(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS Fe(ch)=WS(dis)	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=210(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12.	Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately below the Crested Butte Water Supply intake which is above the confluence with the Mount Emmons/Red Lady Basin drainage to the confluence with the Slate River, with the exception of Wildcat Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)= 0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=191(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary Modifications:  Type B Cd(ch)= 2.1 Cu(ch)=current conditions Zn(ch)= 440 Expiration date June 30, 2016  As(ch)=hybrid Expiration date of 12/31/21.

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Upper Gunnison River Basin</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
13. Mainstem of Woods Creek from the source to the confluence with Washington Gulch.		Aq Life Cold 2 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Water+Fish Standards
14. Mainstem of the Gunnison River from its inception at the confluence of the East and Taylor rivers to the inlet of Blue Mesa Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.		Aq Life Cold 2 Recreation U Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac/ch)=TVS Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1800(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Zn(ac/ch)=TVS	
15b. South Beaver Creek, including all tributaries and wetlands, from the source to the Saguache/Gunnison County line.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Zn(ac)=TVS Zn(ch)=TVS	
16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek with the exception of Segment 1.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.		Aq Life Cold 1 Recreation U Water Supply Agriculture	Apr 16-Nov 15 T <sub>(DM)</sub> =21.7 °C T <sub>(MWT)</sub> =17.0 °C Nov 16-Apr 15 T <sub>(DM)</sub> =13.0 °C T <sub>(MWT)</sub> =9.0 °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Upper Gunnison River Basin</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
18a. Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Hot Springs, Razor and Quartz Creeks from their sources to their confluences with Tomichi Creek.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
20. Mainstem of Indian Creek, including all tributaries, from the source to the confluence with Marshall Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)= lowest practical level U(ch)= lowest practical level Zn(ac/ch)=TVS	Temporary Modification at sampling site SW-33 (38.399519, -106.308190 WGS84) Type B June-July U(ac)=1515(tot) U(ch)=1349(tot) Aug-May U(ac)=1144(tot) U(ch)=1080(tot) Expiration date June 30, 2015
21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
22. Mainstem of Gold Creek from Browns Gulch to the confluence with Quartz Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Upper Gunnison River Basin</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
25. The segments of the Gunnison River which inter-connect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, with the exception of Segments 1,2, 29a, 29b, and 30 through 32.		Aq Life Cold 1 Recreation U Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
27. Deleted.									
28. Deleted.									
29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek, except for the specific listing in Segments 1, 9b, 29b, 30, 31 and 32. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
31. Mainstem of Palmetto Gulch Creek including all tributaries.	UP	Aq Life Cold 2 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
32. North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 10 <b>BASIN: Upper Gunnison River Basin</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
33. All lakes and reservoirs that are tributary to the Gunnison River and within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.02 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
34. All lakes and reservoirs tributary to the Taylor River and the East River, from their sources to their confluence at the inception of the Gunnison River, excluding the listings in Segments 33, 35 and 37. This segment includes Meridian Lake, Nicholson Lake, Peanut Lake, Lake Grant, Lily Pond, Pothole Reservoirs 1 and 2, Texas Lake, Mirror Lake, and Spring Creek Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
35. All lakes and reservoirs tributary to Redwell Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac)=TVS Pb(ch)=8 Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
36. All lakes and reservoirs tributary to Gunnison River from its inception at the confluence of the Taylor and East Rivers, to the inlet of Blue Mesa Reservoir, excluding the listings in Segment 33. This segment includes Kenny Moore Reservoir, Hot Springs Reservoir, Needle Creek Reservoir, Vouga Reservoir, Moss Lake, Dome Lakes, and McDonough Reservoirs 1 and 2.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
37. All lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect them, excluding the listings in Segments 33 and 37. This segment includes Fish Creek Reservoirs 1 and 2, Hampton Lake, High Park Lake, Watson Lake, Butte Lake, Swanson Lake, Fitzpatrick Lake, Dry Lake, Devils Lake, Powderhorn Lakes, Soderquist Reservoir, Rainbow Lake, Cataract Lake, Castle Lakes, Crystal Lake, and Waterdog Lake.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
38. Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, and Silver Jack Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CLL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10  <b>BASIN: North Fork of the Gunnison River</b>  Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
1. All tributaries to North Fork of the Gunnison River, including all wetlands, within the West Elk or Raggeds Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
2. Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Coal Creek to the Black Bridge (41.75 Drive) above Paonia.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.		Aq Life Cold 1 Recreation P Oct. 1 to Mar. 31 Recreation E Apr. 1 to Sept. 30 Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 Oct. 1 to March 31 E.Coli=205/100ml April 1 to Sept. 30 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Muddy Creek, including all tributaries and wetlands, from the source to the confluence with Coal Creek. Coal Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River within national forest boundaries, except for the specific listing in Segment 1.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
5a. Mainstems of Hubbard Creek, Terror Creek, Minnesota Creek, and Leroux Creek from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
5b Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, and 6b.		Aq Life Warm 2 Recreation P Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> (ac)=100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10  <b>BASIN: North Fork of the Gunnison River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.		Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WS-III) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	Water+Fish Standards  Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
7. Paonia Reservoir and Overland Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CLL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
8. All lakes and reservoirs that are tributary to the North Fork of the Gunnison River and within the West Elk or Raggeds Wilderness areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS	
9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Coal Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Coal Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS Zn(ch)=TVS	
10. All lakes and reservoirs tributary to Roatcap Creek and Jay Creek from their sources to their confluences with the North Fork of the Gunnison River. All lakes and reservoirs tributary to Hubbard Creek, Terror Creek, Minnesota Creek, or Leroux Creek, and are not within national forest boundaries.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 7, 9, and 10. This segment includes Roeber Reservoir.	UP	Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> (ac)=10 Cl(ch)=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	

35.6(4)

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 10 <b>BASIN: Uncompahgre River</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
1. All tributaries to the Uncompahgre River, including all wetlands, which are within the Mt. Sneffels or Uncompahgre Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=50 Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ch)=50 (Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02 (Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)= 2296(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	June-Oct 15 T <sub>(DM)</sub> =21.7 °C T <sub>(MWAT)</sub> =17.0 °C Oct 16-May T <sub>(DM)</sub> =13.0 °C T <sub>(MWAT)</sub> =9.0 °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)= 0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)= 4067(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3c. Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=2682(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=2053(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
<b>BASIN: Uncompahgre River</b>			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
3f. Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)= 0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)= 1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.	UP	Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)= 0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)= 1800 (Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	Temporary Modification: Type A Se(ch)= current conditions Expiration date of Dec. 31, 2017
4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.		Aq Life Warm 1 Recreation E Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)= 7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)= 2356(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.		Aq Life Cold 2 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6a. Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.		Aq Life Cold 2 Recreation N Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=630/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)= 100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
6b. Mainstem of Red Mountain Creek from immediately above the confluence with the East Fork of Red Mountain Creek to the confluence with the Uncompahgre River. All tributaries to Red Mountain Creek within Corkscrew and Champion basins.	UP	Recreation N Agriculture	D.O. = 3.0 mg/l pH = ambient E.Coli=630/100ml						
7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.		Aq Life Cold 2 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)= 2700(Trec) Pb(ac/ch)=TVS Mn(ch)=655 Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
<b>BASIN: Uncompahgre River</b>			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.		Aq Life Cold 2 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ch)=5	Fe(ch)=WS(dis) Fe(ch)=1000 (Trec) Pb(ch)=4 Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.		Aq Life Cold 2 Recreation P Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000 (Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
10. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1 and 11.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000 (Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	
11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek, including all tributaries, from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01 (Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.	UP	Aq Life Warm 1 Recreation P Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)= 7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS Cr(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1400(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
13. Mainstem of East Fork Dry Creek, Pryor Creek and West Fork Dry Creek from their sources to their confluence; mainstem of Spring Creek, West Fork Spring Creek and Middle Spring Creek from the source to Popular Road at the mouth of Spring Canyon, and mainstem of Mexican Gulch from the source to the Section line dividing Section 19 and 30, T49N, R9W.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. East and West Forks of Horsefly Creek, including all tributaries and wetlands, from their sources to a point immediately above their confluence. Happy Canyon Creek, including all tributaries and wetlands, from the source to the most downstream national forest boundary.		Aq Life Cold 2 Recreation P Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=206/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15a. Mainstem of Happy Canyon from a point immediately below the West Canal to the confluence with the Uncompahgre River; mainstem of Horsefly Creek from a point immediately below the confluence with Wildcat Canyon to the confluence with the Uncompahgre River.		Aq Life Warm 1 Recreation P Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)= 7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Uncompahgre River</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
15b. Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.		Aq Life Cold 2 Recreation E Agriculture	T=TVS(CS-II) °C D.O.= 6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16. All lakes and reservoirs tributary to the Uncompahgre River and within the Mt. Sneffels or Uncompahgre Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=50 Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
17. All lakes and reservoirs tributary to the Uncompahgre River from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 16 and 19. This segment includes Lake Como, Ptarmigan Lake, Crystal Lake, and Lake Lenore.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)=TVS	
18. All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the confluence with Dexter Creek to a point immediately below the South Canal near Uncompahgre, excluding the listings in Segment 16 and 19. All lakes and reservoirs tributary to the East Fork of Dry Creek or the West Fork of Dry Creek from their sources to their confluence. This segment includes Black Lake, Blue Lakes, Ulah Brown Spring, Lake Otonawanda, West Lake, Dry Lake, Elephant Reservoir, Buckhorn Lakes, Silesca Pond and Olathe Reservoirs 1 and 2.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000 (Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
19. Ridgway Reservoir.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CLL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).		Aq Life Warm 1 Recreation E Agriculture	T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6 (Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
21. All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the South Canal near Uncompahgre to the confluence with the Gunnison River, excluding the listings in Segments 20 and 18.	UP	Aq Life Warm 2 Recreation P Agriculture	T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000 (Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Lower Gunnison River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to a point immediately above the confluence with the Uncompahgre River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Mo(ch)=160(Trec) Hg(ch)=0.01(Tot)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
2. Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =480	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis)	Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary Modification: Type A Se(ch)= current conditions Expiration date of Dec. 31, 2017  Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
3. All tributaries to the Gunnison River, including all wetlands, which are within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork Gunnison River sub-basin, Uncompahgre River sub-basins, and segments 10, 11a, 11b, and 12.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5 through 10, 12 and 13.	UP	Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply.		Aq Life Warm 2 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.		Aq Life Warm 2 Recreation E Water Supply Agriculture	T=TVS(WS-III) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
5. Mainstem of Roubideau Creek from the national forest boundary to the confluence with Potter Creek; mainstem of Monitor Creek from the national forest boundary to the confluence with Potter Creek; mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30(Trec) Zn(ac/ch)=TVS	

35.6(4)

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10		Desig	Classifications	NUMERIC STANDARDS					TEMPORARY MODIFICATIONS AND QUALIFIERS	
<b>BASIN: Lower Gunnison River</b>				PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description										
6.	Mainstem of Roubideau Creek from Potter Creek to the Gunnison River; mainstem of Escalante Creek from the national forest boundary to the Gunnison River; mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River, mainstem of East Creek from the source to the Gunnison River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30'(Trec) Zn(ac/ch)=TVS	
7a.	Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.		Aq Life Cold 2 Recreation P Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l S.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) <sup>1</sup> Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7b.	Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Youngs Creek.		Aq Life Cold 1 Recreation P Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	
8.	Mainstem of Surface Creek and Kannah Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ch)=1000	Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
9.	Fruitgrowers Reservoir.	UP	Aq Life Warm 2 Agriculture April 1 to Oct. 31 Recreation E Nov. 1 to March 31 Recreation P	T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 April 1 to Oct. 31 E.Coli=126/100ml Nov. 1 to March 31 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	
10.	Mainstem of the Smith Fork from the confluence of the North Smith Fork and South Smith Fork to the confluence with the Gunnison River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	
11a.	All tributaries to the Smith Fork, including all wetlands, which are within national forest boundaries except for specific listings in Segment 11b; Doug Creek from the source to the confluence with Muddy Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Lower Gunnison River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description									
11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.		Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WS-III) °C D.O. = 5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B(ch)=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)= 0.02-10(Trec) <sup>1</sup> Cd(ac/ch)= TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)= TVS Mn(ac/ch)= TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)= TVS Ag(ac/ch)=TVS Zn(ac/ch)= TVS	
13. Crawford Reservoir.		Aq Life Warm 1 Recreation E Agriculture	T=TVS(WL) °C D.O.= 5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and Segments 15, 17 and 18. This segment includes Trickle Reservoir, Hale Reservoir, Marcott Park Reservoir, Cherry Lane Reservoir, Cole Reservoirs, Cedar Mesa Reservoir, Kehmeier Reservoir, Weir and Johnson Reservoir, Bonita Reservoir, Blanche Park Reservoir, Vela Reservoir, Knox Reservoir, Military Park Reservoir, Eureka Park Reservoir, Carbonate Park Reservoirs, Prebble Reservoir, Youngs Creek Reservoirs, Kiser Reservoir, Donnelly Reservoir, Kiser Slough Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Hotel Lake, Arch Slough, Alexander Lake, Deep Ward Lake, Kennicott Slough Reservoir, Womack Reservoirs, Deep Slough Reservoir, Scotland Peak Reservoir, Boulder Lake Reservoir, Basin Reservoir 1, Clear Lake, Granby Reservoirs, Dugger Reservoir, Carson Lake, Crane Lake, Flowing Park, Blue Lake, Chambers Reservoir, Scales Lakes, Grand Mesa Reservoirs, Anderson Reservoirs, Bolen Reservoir, Bolen-Anderson-Jacobs Reservoir 2, Hollenbeck Reservoir 2, Cliff Lake Reservoir, Lee Reservoirs, Lone Pine Reservoirs, Bullfrog Reservoir, Twin Lake, Harry White Reservoirs, Beaver Dam Reservoir, and Fruita Reservoirs 1 and 2.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.4-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CLL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.4-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: Lower Gunnison River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
17. All lakes and reservoirs tributary to the Smith Fork, and within national forest boundaries excluding the listings in Segment 18. All lakes and reservoirs tributary to Doug Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
18. All lakes and reservoirs tributary to the Smith Fork, and are within the West Elk Wilderness Area.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
19. All lakes and reservoirs tributary to the Smith Fork, which are not within national forest boundaries, excluding the listings in Segment 17. This segment includes Gould Reservoir.		Aq Life Warm 2 Recreation P Water Supply Agriculture	T=TVS(WL) °C D.O. = 5.0 mg/l pH=6.5-9.0 E.Coli=205/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS Zn(ac/ch)=TVS	

35.6(4)

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 10	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: San Miguel River			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description									
1. All tributaries, including wetlands, to the San Miguel River, and within the boundaries of the Lizard Head, or Mount Sneffels Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	
2. All tributaries, including all wetlands, to the San Miguel River from its sources to a point immediately below the confluence of Leopard Creek, with the exceptions listed in Segments 1, 6a, 6b, 7 and 8.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Zn(ch)=190	
3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	April-May T <sub>(DM)</sub> =14.0 °C T <sub>(MWWAT)</sub> =9.0 °C June-Sept T <sub>(DM)</sub> =21.7 °C T <sub>(MWWAT)</sub> =17.0 °C Oct T <sub>(DM)</sub> =13.9 °C T <sub>(MWWAT)</sub> =9.0 °C Nov-March T <sub>(DM)</sub> =13.0 °C T <sub>(MWWAT)</sub> =9.0 °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ch)=190	
4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4b. Mainstem of the San Miguel River from a point immediately below the CC ditch to a point immediately below the confluence of Naturita Creek.		Aq Life Warm 1 Recreation E Water Supply Agriculture	March-Oct T <sub>(DM)</sub> =30.9 °C T <sub>(MWWAT)</sub> =23.3 °C Nov-Feb T <sub>(DM)</sub> =13.0 °C T <sub>(MWWAT)</sub> =9.0 °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
5. Mainstem of the San Miguel River from a point immediately below the confluence of Naturita Creek to its confluence with the Dolores River.		Aq Life Warm 1 Recreation E Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS U(ac)=TVS U(ch)=16.8-30(Trec) Zn(ac/ch)=TVS	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: San Miguel River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
6a. Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.		Aq Life Cold 2 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.		Aq Life Cold 2 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ch)=190	
7. Mainstem of the Howard Fork and, all tributaries, and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Cd(ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=80 Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9. All tributaries to the San Miguel River, including all wetlands from a point immediately below the confluence of Leopard Creek to the Dolores River that are within the boundaries of the Uncompahgre National Forest.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
10. Mainstem of Naturita Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to its confluence with the San Miguel River. Mainstem of Tabeguache Creek from its source to the confluence with the San Miguel River.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=75 Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
11a. All tributaries to Miramonte Reservoir and West Naturita Creek from their sources to the Uncompahgre National Forest Boundary below Miramonte Reservoir. The mainstems of Beaver and Horsefly Creeks from the Uncompahgre National Forest boundary to their confluences with the San Miguel River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS	Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11b. Mainstem of Saltado Creek from the Uncompahgre National Forest boundary to the confluence with the San Miguel River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 10 <b>BASIN: San Miguel River</b> Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
12a. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence of Leopard Creek to a point immediately above Naturita Creek with the exceptions listed in Segments 9, 10, 11a, and 11b.		Aq Life Cold 2 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	Water + Fish Standards Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
12b. All tributaries and wetlands to the San Miguel River from a point immediately above Naturita Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 10, 11a, and 11b.		Aq Life Cold 2 Recreation E Water Supply Agriculture	T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	Water + Fish Standards Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
13. All lakes and reservoirs tributary to the San Miguel River and within the boundaries of the Lizard Head, or Mount Sneffels Wilderness Areas.	OW	Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. All lakes and reservoirs tributary to the San Miguel River from its sources to a point immediately below the confluence of Leopard Creek, excluding the listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. All lakes and reservoirs tributary to Ingram Creek from the source to the confluence with the San Miguel River. This segment includes Ingram Lake.		Aq Life Cold 2 Recreation E Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
16. All lakes and reservoirs tributary to Marshall Creek from the source to the confluence with the San Miguel River. This segment includes Thorne Lake.		Aq Life Cold 2 Recreation E Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Zn(ch)=190	
17. All lakes and reservoirs tributary to the Howard Fork from a point immediately below the confluence of Swamp Gulch to the confluence with the South Fork of the San Miguel River.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
18. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the confluence with the Dolores River, and that are within Uncompahgre National Forest boundaries. This segment includes Hoffman Reservoir, Paxton Reservoir, and Hotchkiss Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

REGION: 10 <b>BASIN: San Miguel River</b>	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
Stream Segment Description									
19. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the Dolores River, and not within Uncompahgre National Forest boundaries, excluding the listings in Segment 19. This segment includes Point Reservoir, Palmers Lake, Williams Reservoir, and Lilylands Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mn(ch)=WS(dis) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.		Aq Life Cold 1 Recreation E Water Supply Agriculture	T=TVS(CLL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

35.6(4)

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 10		Desig	Classifications	NUMERIC STANDARDS					TEMPORARY MODIFICATIONS AND QUALIFIERS	
<b>BASIN: Lower Dolores River</b>				PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description										
1a.	Mainstem of the Dolores River from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to a point immediately above the confluence with Big Canyon Creek near Dove Creek.		Aq Life Cold 1 Recreation E Water Supply Agriculture	Mar 23 –Oct 31 T <sub>(DM)</sub> =26.6 °C T <sub>(MWAT)</sub> =23.8 °C Nov 1- Mar 22 T <sub>(DM)</sub> =13.0 °C T <sub>(MWAT)</sub> =9.0 °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	
1b.	Mainstem of the Dolores River from a point immediately above the confluence with Big Canyon Creek near Dove Creek to a point immediately above the Highway 141 road crossing near Slick Rock.		Aq Life Cold 1 Recreation E Water Supply Agriculture	Mar 23-Oct 31 T <sub>(DM)</sub> =27.6 °C T <sub>(MWAT)</sub> =24.7 °C Nov 1- Mar 22 T <sub>(DM)</sub> =13.0 °C T <sub>(MWAT)</sub> =9.1 °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.
2.	Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	
3a.	All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.	UP	Aq Life Warm 2 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02-10(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
3b.	All tributaries to the Dolores River, including wetlands, that are within national forest boundaries, from the bridge at Bradfield Ranch (Forest Route 505, near the Montezuma/Dolores County Line) to the Colorado/Utah border, excluding the small area of Uncompahgre National Forest within the Disappointment Valley and the listings in Segments 3c, 4, 5, and 6. Disappointment Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Morrison Creek.		Aq Life Cold 1 Recreation E Agriculture	T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO <sub>2</sub> =0.05 NO <sub>3</sub> =100	As(ac)=340 As(ch)=7.6(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS Zn(ch)=TVS(sc)	
3c.	Mainstem and all tributaries to Salt Creek, including all wetlands from the source within the Sinbad Valley to the confluence with the Dolores River.		Aq Life Warm 2 Recreation E Agriculture	T=TVS(WS-III) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B(ch)=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =100	As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac)=TVS Se(ch)=6.6 Ag(ac/ch)=TVS U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	
4.	Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.		Aq Life Warm 1 Recreation E Water Supply Agriculture	T=TVS(WS-II) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml	NH <sub>3</sub> (ac/ch)=TVS Cl <sub>2</sub> (ac)=0.019 Cl <sub>2</sub> (ch)=0.011 CN=.005	S=0.002 B=0.75 NO <sub>2</sub> =0.5 NO <sub>3</sub> =10 Cl=250 SO <sub>4</sub> =WS	As(ac)=340 As(ch)=0.02(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS U(ac)=TVS U(ch)=16.8-30 <sup>1</sup> (Trec) Zn(ac/ch)=TVS	

35.6(4)

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS**

<p>5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.</p>	<p>Aq Life Cold 1 Recreation E Water Supply Agriculture</p>	<p>T=TVS(CS-II) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml</p>	<p>NH<sub>3</sub>(ac/ch)=TVS Cl<sub>2</sub>(ac)=0.019 Cl<sub>2</sub>(ch)=0.011 CN=.005</p>	<p>S=0.002 B=0.75 NO<sub>2</sub>=0.05 NO<sub>3</sub>=10 Cl=250 SO<sub>4</sub>=WS</p>	<p>As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS</p>	<p>Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec)</p>	<p>Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) U(ac)=TVS U(ch)=16.8-30<sup>1</sup>(Trec) Zn(ac/ch)=TVS</p>	<p>Temporary modification: As(ch)=hybrid Expiration date of 12/31/21.</p>
<p>6. North Fork of West Creek, including all tributaries and wetlands, from the source to the confluence with West Creek. Granite Creek, including all tributaries and wetlands, from the source the Colorado/Utah border.</p>	<p>Aq Life Cold 1 Recreation E Water Supply Agriculture</p>	<p>T=TVS(CS-I) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml</p>	<p>NH<sub>3</sub>(ac/ch)=TVS Cl<sub>2</sub>(ac)=0.019 Cl<sub>2</sub>(ch)=0.011 CN=0.005</p>	<p>S=0.002 B=0.75 NO<sub>2</sub>=0.05 NO<sub>3</sub>=10 Cl=250 SO<sub>4</sub>=WS</p>	<p>As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS</p>	<p>Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS</p>	<p>Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS</p>	
<p>7. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and within national forest boundaries. This segment includes Long Park Reservoir, Cabin Reservoir, Beef Trail Reservoir, Dry Lake, Glade Lake, Glade Point Reservoir, Arrowhead Lake, Morrison Lake, Old Dunham Reservoir, Belmeir Lake, Buckeye Reservoir, Black Pine Reservoir, Casto Reservoir, and Big Creek Reservoir.</p>	<p>Aq Life Cold 1 Recreation E Water Supply Agriculture</p>	<p>T=TVS(CL) °C D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 E.Coli=126/100ml</p>	<p>NH<sub>3</sub>(ac/ch)=TVS Cl<sub>2</sub>(ac)=0.019 Cl<sub>2</sub>(ch)=0.011 CN=0.005</p>	<p>S=0.002 B=0.75 NO<sub>2</sub>=0.05 NO<sub>3</sub>=10 Cl=250 SO<sub>4</sub>=WS</p>	<p>As(ac)=340 As(ch)=0.02(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrIII(ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS</p>	<p>Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS</p>	<p>Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS</p>	
<p>8. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and not within national forest boundaries.</p>	<p>UP Aq Life Warm 2 Recreation E Agriculture</p>	<p>T=TVS(WL) °C D.O.=5.0 mg/l pH=6.5-9.0 E.Coli=126/100ml</p>	<p>NH<sub>3</sub>(ac/ch)=TVS Cl<sub>2</sub>(ac)=0.019 Cl<sub>2</sub>(ch)=0.011 CN=0.005</p>	<p>S=0.002 B=0.75 NO<sub>2</sub>=0.5 NO<sub>3</sub>=100</p>	<p>As(ac)=340 As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrIII(ch)=100(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS</p>	<p>Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(tot) Mo(ch)=160(Trec) Ni(ac/ch)=TVS</p>	<p>Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS</p>	

**STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES**

- (1) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission’s established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an “end-of-pipe” discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.